

Database Systems (資料庫系統)

October 24/25, 2006
Lecture #5

1

Course Administration

- Assignment #2 is out on the course homepage.
 - It is due two weeks from today.
- Assignment #1 solution is on the course homepage.
- Next week reading:
 - Chapter 8: Overview of Storage and Indexing

2

Long Reflection: DB design

- Step 1: Requirements Analysis
 - What data to store in the database?
- Step 2: Conceptual Database Design
 - Come up with the design: Entity-Relation (ER) model
 - Sketch the design with ER diagrams
- Step 3: Logical Database Design
 - Implement the design: relational data model
 - Map ER diagrams to relational tables

3

Recent Reflection: DB design

- Last lecture:
 - Query language: how to ask questions about the [relational] database?
 - Mathematical query language: Relational Algebra
- This lecture
 - A real query language: SQL

4

Review: Relational Algebra

- A query is applied to table(s), and the result of a query is also a table.
- Find the names of sailors who have reserved boat 103

$$\pi_{sname}((\sigma_{bid = 103} Reserves) \bowtie Sailors)$$

5

Review: Relational Algebra

- Basic relational algebra operators:
 - Selection (σ , pronounced sigma): Select a subset of rows from a table.
 - Projection (π): Delete unwanted columns from a table.
 - Cross-product (\times): Combine two tables.
 - Set-difference ($-$): Tuples in table 1, but not in table 2.
 - Union (\cup): Tuples in tables 1 or 2.

6

Review: Relational Algebra (more)

- Additional relational algebra operators:
 - Intersection (\cap): Tuples in tables 1 and 2.
 - Join (\bowtie): conditional cross product
 - Division (\div)
 - Renaming (ρ)
- Operations composed into complex query expression
- English translation?

$$\pi_{sid} ((\sigma_{color = 'red'} Boats) \bowtie Reserves \bowtie \pi_{sid} (\sigma_{age > 20} Sailors))$$

7

Relational Algebra to SQL

- Relational operators \rightarrow SQL commands

Relational Algebra:

$$\pi_{sname} (\sigma_{bid = 103} (Sailors \bowtie Reserves))$$

SQL:

SELECT S.sname

FROM Sailors S, Reserves R

WHERE S.sid=R.sid AND R.bid=103

- Guess the mapping?

8

SQL: Queries, Constraints, Triggers

Chapter 5

9

Lecture Outline

- Basic Query
 - *SELECT*
- Set Constructs
 - *UNION, INTERSECT, EXCEPT, IN, ANY, ALL, EXISTS*
- Nested Queries
- Aggregate Operators
 - *COUNT, SUM, AVG, MAX, MIN, GROUP BY, HAVING*
- Null Values
- Integrity Constraints
 - *CHECK, CREATE ASSERTION*
- Triggers
 - *CREATE TRIGGER, FOR EACH ROW*

10

Example Table Definitions

Sailors(sid: integer, sname: string, rating: integer, age: real)

Boats(bid: integer, bname: string, color: string)

Reserves(sid: integer, bid: integer, day: date)

- Find names of sailors who've reserved boat #103

```
SELECT S.sname
FROM Sailors S, Reserves R
WHERE S.sid=R.sid AND R.bid= 103
```

11

Basic SQL Query

SELECT [DISTINCT] target-list

FROM relation-list

WHERE qualification

- Relation-list: A list of relation names (possibly with range-variable after each name).
- Target-list: A list of attributes of relations in relation-list
- Qualification: conditions on attributes (<, >, =, and, or, not, etc.)
- DISTINCT: optional keyword for duplicate removal.
 - Default = no duplicate removal!

12

How to evaluate a query?

SELECT [DISTINCT] target-list
FROM relation-list
WHERE qualification

- Conceptual query evaluation using relational operators:
 - 1) Compute the cross-product of relation-list.
 - 2) Discard resulting tuples if they fail qualifications.
 - 3) Delete attributes that are not in target-list. (called column-list)
 - 4) If DISTINCT is specified, eliminate duplicate rows.
- Only conceptual because of inefficiency computation
 - An optimizer can find better strategy

SELECT S.sname
FROM Sailors S, Reserves R
WHERE S.sid=R.sid AND R.bid=103

13

Example of Conceptual Evaluation (1)

SELECT S.sname
FROM Sailors S, Reserves R
WHERE S.sid=R.sid AND R.bid=103

(1) Compute the cross-product of relation-list.

Sailors

<i>sid</i>	<i>sname</i>	<i>rating</i>	<i>age</i>
22	dustin	7	45.0
31	lubber	8	55.5
58	rusty	10	35.0

Reserves

<i>sid</i>	<i>bid</i>	<i>day</i>
22	101	10/10/96
58	103	11/12/96

X

14

Example of Conceptual Evaluation (2)

```
SELECT S.sname
FROM Sailors S, Reserves R
WHERE S.sid=R.sid AND R.bid=103
```

(2) Discard tuples if they fail qualifications.

Sailors X Reserves

<i>(sid)</i>	<i>sname</i>	<i>rating</i>	<i>age</i>	<i>(sid)</i>	<i>bid</i>	<i>day</i>
22	dustin	7	45.0	22	101	10/10/96
22	dustin	7	45.0	58	103	11/12/96
31	lubber	8	55.5	22	101	10/10/96
31	lubber	8	55.5	58	103	11/12/96
58	rusty	10	35.0	22	101	10/10/96
58	rusty	10	35.0	58	103	11/12/96

Example of Conceptual Evaluation (3)

```
SELECT S.sname
FROM Sailors S, Reserves R
WHERE S.sid=R.sid AND R.bid=103
```

(3) Delete attribute columns that not in target-list.

<i>(sid)</i>	<i>sname</i>	<i>rating</i>	<i>age</i>	<i>(sid)</i>	<i>bid</i>	<i>day</i>
22	dustin	7	45.0	22	101	10/10/96
22	dustin	7	45.0	58	103	11/12/96
31	lubber	8	55.5	22	101	10/10/96
31	lubber	8	55.5	58	103	11/12/96
58	rusty	10	35.0	22	101	10/10/96
58	rusty	10	35.0	58	103	11/12/96

A Note on Range Variables

```
SELECT S.sname
FROM   Sailors as S, Reserves R
WHERE  S.sid=R.sid AND bid=103
```

OR

```
SELECT sname
FROM   Sailors, Reserves
WHERE  Sailors.sid=Reserves.sid AND bid=103
```

- Really needed range variables only if the same relation appears twice in the FROM clause.

```
SELECT sname
FROM   Sailors S, Reserves R1,
       Reserves R2
WHERE  S.sid = R1.sid AND
       S.sid = R2.sid AND
       R1.bid <> R2.bid
```

17

Find the sids of sailors who've reserved at least one boat

```
SELECT S.sid
FROM   Sailors S, Reserves R
WHERE  S.sid=R.sid
```

Sailors X Reserves

(sid)	sname	rating	age	(sid)	bid	day
22	dustin	7	45.0	22	101	10/10/96
22	dustin	7	45.0	58	103	11/12/96
31	lubber	8	55.5	22	101	10/10/96
31	lubber	8	55.5	58	103	11/12/96
58	rusty	10	35.0	22	101	10/10/96
58	rusty	10	35.0	58	103	11/12/96

DISTINCT

- Find the names and ages of all sailors
SELECT S.sname, S.age
FROM Sailors S
- Add *DISTINCT* to this query?
- Replace S.sname by S.sid in the *SELECT* clause?
- Add *DISTINCT* to the above?

Sid	Sname	Rating	Age
22	Dustin	7	45.0
29	Brutus	1	33.0
31	Lubber	8	55.5
32	Andy	8	25.5
58	Rusty	10	35.0
64	Horatio	7	35.0
71	Zorba	10	16.0
74	Horatio	9	35.0
85	Art	3	25.5
95	Bob	3	63.5

Find sailors whose names begin and end with B and contain at least three characters.

```
SELECT S.age,
  age1=S.age-5,
  2*S.age AS age2
FROM Sailors S
WHERE S.sname LIKE 'B_%B'
```

- AS and = are two ways to name fields in result.
- *LIKE* for string matching.
 - '_' for one character
 - '%' for 0 or more characters.

Sid	Sname	Rating	Age
22	Dustin	7	45.0
29	Brutus	1	33.0
31	Lubber	8	55.5
74	Horatio	9	35.0
85	Art	3	25.5
95	Bob	3	20

Age	Age1	Age2
20	15	40

20

Find sid's of sailors who've reserved a red or a green boats.

```
SELECT  
FROM  
WHERE
```

- **UNION:** work on two *union-compatible* sets of tuples

```
SELECT S.sid  
FROM Sailors S, Boats B, Reserves R  
WHERE S.sid=R.sid AND R.bid=B.bid AND B.color='red'  
UNION  
SELECT S.sid  
FROM Sailors S, Boats B, Reserves R  
WHERE S.sid=R.sid AND R.bid=B.bid AND B.color='green'
```

- Replace *OR* by *AND* in the first version?

21

Find sid's of sailors who've reserved a red and a green boat

```
SELECT S.sid  
FROM Sailors S, Boats B, Reserves R  
WHERE S.sid=R.sid AND R.bid=B.bid AND B.color='red'  
INTERSECT  
SELECT S.sid  
FROM Sailors S, Boats B, Reserves R  
WHERE S.sid=R.sid AND R.bid=B.bid AND B.color='green'
```

- What do we get if we replace *INTERSECT* by *EXCEPT*?
 - (*A Except B*) returns tuples in A but not in B.
 - Find sids of all sailors who have reserved a red boat but not a green boat.

22

SET Construct: *UNION ALL*

- *UNION*, *INTERSECT*, and *EXCEPT* delete duplicate by default.
- To retain duplicates, use *UNION ALL*, *INTERSECT ALL*, or *EXCEPT ALL*.

<i>Sid</i>	<i>Sname</i>		<i>Sid</i>	<i>Sname</i>		<i>Sid</i>	<i>Sname</i>
71	Zorba	<i>INTERSECT ALL</i>	22	Dustin	=	71	Zorba
74	Horatio		71	Zorba		74	Horatio
74	Horatio		74	Horatio		74	Horatio
95	Bob		74	Horatio			

23

Nested Queries

- WHERE clause can itself contain an SQL subquery. (Actually, so can FROM and HAVING clauses.)
- Find names of sailors who've reserved boat #103:

```

SELECT S.sname
FROM Sailors S
WHERE S.sid IN (SELECT R.sid
                FROM Reserves R
                WHERE R.bid=103)
    
```

*Subquery: finds sids
who have reserved
bid 103*

- (*x IN B*) returns true when x is in set B.
 - To find sailors who've not reserved #103, use *NOT IN*.
- Nested loops Evaluation
 - For each Sailors tuple, check the qualification by computing the subquery.
 - Does the subquery result change for each new Sailor row?

24

Nested Queries with Correlation

```
SELECT S.sname
FROM Sailors S
WHERE EXISTS (SELECT *
              FROM Reserves R
              WHERE R.bid=103 AND S.sid=R.sid)
```

Correlation: subquery finds all reservations for bid 103 from current sid

- *EXISTS* is another set comparison operator, like *IN*.
 - (*EXISTS S*) returns true when *S* is not empty.
- What is the above query in English?
 - Find sailors who have reserved boat #103
- In case of correlation, subquery must be re-computed for each Sailors tuple.

25

Nested Queries with *UNIQUE*

Sailors(sid: integer, sname: string, rating: integer, age: real)
Boats(bid: integer, bname: string, color: string)
Reserves(sid: integer, bid: integer, day: date)

- (*UNIQUE S*) returns true if *S* has no duplicate tuples or *S* is empty.

```
SELECT S.sname
FROM Sailors S
WHERE UNIQUE (SELECT R.bid
              FROM Reserves R
              WHERE R.bid=103 AND S.sid=R.sid)
```

- What is the above query in English?
 - Finds sailors with at most one reservation for boat #103.
- Replace *R.bid* with ***?
 - Finds sailors with at most one reservation for boat #103 in a given day.
 - (Simplify -> find all sailors)

More on Set-Comparison Operators

- Have seen *IN*, *EXISTS* and *UNIQUE*. Can also use *NOT IN*, *NOT EXISTS*, and *NOT UNIQUE*.
 - Also available: *op ANY*, *op ALL*, where *op* can be *>*, *<*, *=*, *≠*, *≤*, *≥*
 - (*a > ANY B*) returns true when *a* is greater than any one element in set *B*.
 - (*a > ALL B*) returns true when *a* is greater than all elements in set *B*.
- ```
SELECT *
FROM Sailors S
WHERE S.rating > ANY (SELECT S2.rating
 FROM Sailors S2
 WHERE S2.sname='Horatio')
```
- What is the above query in English?
    - Find sailors whose rating is greater than that of some sailor called Horatio.
  - What is the above query in English if *> ANY* is replaced by *> ALL*?
    - Find sailors whose rating is greater than all sailors called Horatio.

27

## Find sid's of sailors who've reserved a red and a green boat

```
SELECT S.sid
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND R.bid=B.bid AND B.color='red'
INTERSECT
SELECT S.sid
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND R.bid=B.bid AND B.color='green'
```

- Rewrite *INTERSECT* with *IN*.
  - Strategy?

28

## Rewriting *INTERSECT* Using *IN*

```
SELECT S.sid
FROM Sailors S, Boats B, Reserves R
WHERE S.sid=R.sid AND R.bid=B.bid AND B.color='red'
 AND S.sid IN (SELECT S2.sid
 FROM Sailors S2, Boats B2, Reserves R2
 WHERE S2.sid=R2.sid AND R2.bid=B2.bid
 AND B2.color='green')
```

Find sids who've reserved a green boat


- Find *sid*'s of Sailors who've reserved red but not green boats (*EXCEPT*)
  - Replace *IN* with *NOT IN*.

29

## Division in SQL

- Find sailors who've reserved all boats.
- Strategy?
  - Find all boats that have been reserved by a sailor
  - Compare with all boats
  - Do the sailor's reserved boats include all boats?
    - Yes include this sailor
    - No exclude this sailor

```
SELECT S.sname
FROM Sailors S
WHERE
```



(*A EXCEPT B*)  
returns tuples in A  
but not in B.

30

## Division in SQL

- Can you do it the hard way, without *EXCEPT* & with *NOT EXISTS*?
- Strategy:
  - For each sailor, check that there is no boat that has not been reserved by this sailor.

```
SELECT S.sname
FROM Sailors S
WHERE NOT EXISTS (SELECT B.bid
 FROM Boats B
 WHERE NOT EXISTS (SELECT R.bid
 FROM Reserves R
 WHERE R.bid = B.bid
 AND R.sid = S.sid)
```

31

## Aggregate Operators

- *COUNT (\*)*
- *COUNT ([DISTINCT] A)*
  - A is a column
- *SUM ([DISTINCT] A)*
- *AVG ([DISTINCT] A)*
- *MAX (A)*
- *MIN (A)*
- Count the number of sailors

```
SELECT COUNT (*)
FROM Sailors S
```

32



*Find the average age of sailors with  
rating = 10*

*Sailors(sid: integer, sname: string, rating: integer,  
age: real)*

```
SELECT AVG (S.age)
FROM Sailors S
WHERE S.rating=10
```

33

*Count the number of different sailor  
names*

*Sailors(sid: integer, sname: string, rating: integer,  
age: real)*

```
SELECT COUNT (DISTINCT S.sname)
FROM Sailors S
```

34

## *Find the age of the oldest sailor*

*Sailors*(sid: integer, sname: string, rating: integer,  
age: real)

```
SELECT MAX(S.AGE)
FROM Sailors S
```

35

## *Find name and age of the oldest sailor(s)*

```
SELECT S.sname, MAX (S.age)
FROM Sailors S
```

- This is illegal, but why?
  - Cannot combine a column with a value (unless we use *GROUP BY*)

```
SELECT S.sname, S.age
FROM Sailors S
WHERE S.age = (SELECT MAX (S2.age) FROM Sailors S2)
```

- Okay, but not supported in every system
  - Convert a table (of a single aggregate value) into a single value for comparison

36

## GROUP BY and HAVING

- So far, aggregate operators are applied to all (qualifying) tuples.
  - Can we apply them to each of several groups of tuples?
- Example: find the age of the youngest sailor for each rating level.
  - In general, we don't know how many rating levels exist, and what the rating values for these levels are!
  - Suppose we know that rating values go from 1 to 10; we can write 10 queries that look like this:

For  $i = 1, 2, \dots, 10$ :

```
SELECT MIN (S.age)
FROM Sailors S
WHERE S.rating = i
```

37

### Find the age of the youngest sailor for each rating level

```
SELECT S.rating, MIN (S.age) as age
FROM Sailors S
GROUP BY S.rating
```

- (1) The sailors tuples are put into "same rating" groups.
- (2) Compute the Minimum age for each rating group.

| Sid | Sname  | Rating | Age  |
|-----|--------|--------|------|
| 22  | Dustin | 7      | 45.0 |
| 31  | Lubber | 8      | 55.5 |
| 85  | Art    | 3      | 25.5 |
| 32  | Andy   | 8      | 25.5 |
| 95  | Bob    | 3      | 63.5 |

| Rating | Age  |
|--------|------|
| 3      | 25.5 |
| 3      | 63.5 |
| 7      | 45.0 |
| 8      | 55.5 |
| 8      | 25.5 |

(1)

| Rating | Age  |
|--------|------|
| 3      | 25.5 |
| 7      | 45.0 |
| 8      | 25.5 |

(2)

38

*Find the age of the youngest sailor for each rating level that has at least 2 members*

```
SELECT S.rating, MIN (S.age) as age
FROM Sailors S
GROUP BY S.rating
HAVING COUNT(*) > 1
```

| Sid | Sname  | Rating | Age  |
|-----|--------|--------|------|
| 22  | Dustin | 7      | 45.0 |
| 31  | Lubber | 8      | 55.5 |
| 85  | Art    | 3      | 25.5 |
| 32  | Andy   | 8      | 25.5 |
| 95  | Bob    | 3      | 63.5 |

1. The sailors tuples are put into "same rating" groups.
2. Eliminate groups that have < 2 members.
3. Compute the Minimum age for each rating group.

| Rating | Age  |
|--------|------|
| 3      | 25.5 |
| 8      | 25.5 |

| Rating | Age  |
|--------|------|
| 3      | 25.5 |
| 3      | 63.5 |
| 7      | 45.0 |
| 8      | 55.5 |
| 8      | 25.5 |

## Queries With *GROUP BY* and *HAVING*

```
SELECT [DISTINCT] target-list
FROM relation-list
WHERE qualification
GROUP BY grouping-list
HAVING group-qualification
```

```
SELECT S.rating, MIN (S.age) as age
FROM Sailors S
GROUP BY S.rating
HAVING S.rating > 5
```

- The *target-list* contains (i) attribute names (ii) terms with aggregate operations (e.g., AVG (*S.age*)).
- The attribute list (e.g., *S.rating*) in *target-list* must be in *grouping-list*.
- The attributes in group-qualification must be in *grouping-list*.

*Say if Attribute list is not in grouping-list*

```
SELECT S.sname, S.rating, AVG
 (S.age) as age
FROM Sailors S
GROUP BY S.rating
HAVING COUNT(*) > 1
```

| Sid | Sname  | Rating | Age  |
|-----|--------|--------|------|
| 22  | Dustin | 7      | 45.0 |
| 31  | Lubber | 8      | 55.5 |
| 85  | Art    | 3      | 25.5 |
| 32  | Andy   | 8      | 25.5 |
| 95  | Bob    | 3      | 63.5 |

| Snam | Rating | Age  |
|------|--------|------|
| ?    | 3      | 44.5 |
| ?    | 8      | 40.5 |

| Sname  | Rating | Age  |
|--------|--------|------|
| Art    | 3      | 25.5 |
| Bob    | 3      | 63.5 |
| Dustin | 7      | 45.0 |
| Lubber | 8      | 55.5 |
| Andy   | 8      | 25.5 |

41

*Say if Group qualification is not in grouping-list*

```
SELECT S.rating, AVG (S.age)
 as age
FROM Sailors S
GROUP BY S.rating
HAVING S.sname ≠ 'Dustin'
```

| Sid | Sname  | Rating | Age  |
|-----|--------|--------|------|
| 22  | Dustin | 7      | 45.0 |
| 31  | Lubber | 8      | 55.5 |
| 85  | Art    | 3      | 25.5 |
| 32  | Andy   | 8      | 25.5 |
| 95  | Bob    | 3      | 63.5 |

| Rating | Age |
|--------|-----|
|        |     |
|        |     |

| Sname  | Rating | Age  |
|--------|--------|------|
| Art    | 3      | 25.5 |
| Bob    | 3      | 63.5 |
| Dustin | 7      | 45.0 |
| Lubber | 8      | 55.5 |
| Andy   | 8      | 25.5 |

42

## Conceptual Evaluation

- Without *GROUP BY* and *HAVING*:
  - Compute cross-product of *relation-list*
  - Remove tuples that fail *qualification*
  - Delete unnecessary columns
- With *GROUP BY* and *HAVING*, continue with
  - Partition remaining tuples into groups by the value of attributes in *grouping-list* (specified in *GROUP-BY* clause)
  - Remove groups that fail *group-qualification* (specified in *HAVING* clause).
  - Compute one answer tuple per qualifying group.

43

*For each red boat, find the number of reservations for this boat*

```
SELECT B.bid, COUNT (*) AS
num_reservations
FROM Boats B, Reserves R
WHERE R.bid=B.bid AND
B.color='red'
GROUP BY B.bid
```

```
SELECT B.bid, COUNT (*) AS
num_reservations
FROM Boats B, Reserves R
WHERE R.bid=B.bid
GROUP BY B.bid
HAVING B.color='red'
```

- Illegal, why?
  - B.color does not appear in group-list

44

*Find the age of the youngest sailor with age > 18 for each rating with at least 2 sailors (of any age)*

```
SELECT S.rating, MIN (S.age)
FROM Sailors S
WHERE S.age > 18
GROUP BY S.rating
HAVING COUNT(S) > 1
```

- What is wrong?
  - COUNT(S) is counting tuples after the qualification (S.age > 18).
  - Eliminate groups with multiple sailors but only one sailor with age > 18.

- How to fix it?
  - Use subquery in the HAVING clause.

```
SELECT S.rating, MIN (S.age)
FROM Sailors S
WHERE S.age > 18
GROUP BY S.rating
HAVING
1 < ANY (SELECT COUNT (*)
 FROM Sailors S2
 WHERE
 S.rating=S2.rating)
```

45

*Find rating(s) for (which the average age is the minimum) over all rating groups*

```
SELECT S.rating
FROM Sailors S
WHERE S.age =
(SELECT MIN (AVG (S2.age))
FROM Sailors S2
GROUP BY S2.rating)
```

- What's wrong?
  - Aggregate operations cannot be nested

- How to fix it?

```
SELECT Temp.rating
FROM (SELECT S.rating, AVG (S.age)
 AS avgage
 FROM Sailors S
 GROUP BY S.rating) AS
Temp
WHERE Temp.avgage = (SELECT
MIN (Temp.avgage)
FROM Temp)
```

A temp table  
(rating, avg age)

46

## Table Constraints

- Specify constraints over a single table

- Useful when more general ICs than keys are involved.

```
CREATE TABLE Sailors
 (sid INTEGER,
 sname CHAR(10),
 rating INTEGER,
 age REAL,
 PRIMARY KEY (sid),
 CHECK (rating >= 1
 AND rating <= 10)
```

- Constraints can be named.

```
CREATE TABLE Reserves
 (sname CHAR(10),
 bid INTEGER,
 day DATE,
 PRIMARY KEY (bid,day),
 CONSTRAINT noInterlakeRes
 CHECK ('Interlake' ≠
 (SELECT B.bname
 FROM Boats B
 WHERE B.bid=bid)))
```

*The boat 'Interlake' cannot be reserved*

47

## Assertions: Constraints Over Multiple Tables

- Awkward and wrong!
  - If Sailors is empty, the number of Boats tuples can be anything!
- ASSERTION is the right solution; not associated with either table.

```
CREATE TABLE Sailors
 (sid INTEGER,
 sname CHAR(10),
 rating INTEGER,
 age REAL,
 PRIMARY KEY (sid),
 CHECK
 ((SELECT COUNT (S.sid) FROM Sailors S)
 + (SELECT COUNT (B.bid) FROM Boats B) < 100)
```

*Number of boats plus number of sailors is < 100*

```
CREATE ASSERTION smallClub
CHECK
 ((SELECT COUNT (S.sid) FROM Sailors S)
 + (SELECT COUNT (B.bid) FROM Boats B) < 100)
```

48



# Triggers

- Trigger: procedure that starts automatically if specified changes occur to the DBMS
- A trigger has three parts:
  - Event (activates the trigger)
  - Condition (tests whether the triggers should run)
  - Action (what happens if the trigger runs)

```
CREATE TRIGGER incr_count AFTER INSERT ON Students // Event
WHEN (new.age < 18) // Condition
FOR EACH ROW
 BEGIN // ACTION: a procedure in Oracle's PL/SQL syntax
 count := count + 1
 END
```

49

# Starwar Exercises

```
char(name, race, homeworld, affiliation)
planets(name, type, affiliation)
timetable(cname, pname, movie, arrival, departure)
```

Which planet does Princess Leia go to in movie3?

```
SELECT distinct pname
FROM timetable
WHERE cname = 'Princess Leia' and movie=3
```

50

## Starwar Exercises

```
char(name, race, homeworld, affiliation)
planets(name, type, affiliation)
timetable(cname, pname, movie, arrival, departure)
```

- How many people stay on Dagobah in movie 3?

```
SELECT count(*)
FROM timetable, characters
WHERE movie=3 and pname ='Dagobah' and
timetable.cname=characters.name and
characters.race='Human'
```

51

## Starwar Exercises

```
char(name, race, homeworld, affiliation)
planets(name, type, affiliation)
timetable(cname, pname, movie, arrival, departure)
```

- Who has been to his/her homeworld in movie 2?

```
SELECT distinct c.name
FROM characters c, timetable t
WHERE c.name=t.cname and
t.pname=c.homeworld and movie=1
```

52

## Starwar Exercises

char(name, race, homeworld, affiliation)

planets(name, type, affiliation)

timetable(cname, pname, movie, arrival, departure)

- Find all characters that have been on all planets of rebels.

```
SELECT name
FROM characters c
WHERE not exists (
 SELECT p.name FROM planets p
 WHERE affiliation='rebels' and p.name NOT IN
 (SELECT pname from timetable t where
 t.cname=c.name and t.pname=p.name))
```

53

## Starwar Exercises

char(name, race, homeworld, affiliation)

planets(name, type, affiliation)

timetable(cname, pname, movie, arrival, departure)

- Find distinct names of the planets visited by those of race "droid".

```
SELECT distinct t.pname
FROM characters c, timetable t
WHERE c.name=t.cname and c.race='droid'
```

54

## Starwar Exercises

char(name, race, homeworld, affiliation)

planets(name, type, affiliation)

timetable(cname, pname, movie, arrival, departure)

- For each character and for each neutral planet, how much time total did the character spend on the planet?

```
SELECT c.name, p.name, SUM(t.departure-t.arrival+1) as
amount
```

```
FROM characters c, timetable t, planets p
```

```
WHERE t.cname=c.name and t.pname=p.name and
p.affiliation='neutral'
```

```
GROUP BY c.name, p.name
```

55